

Abstract Submitted  
for the MAR10 Meeting of  
The American Physical Society

**Characterization of Novel Double-Chain Metal Monophosphonates as Magnetic Dimers**<sup>1</sup> E.S. KNOWLES, D.M. PAJEROWSKI, J.S. XIA, L. YIN, M.W. MEISEL, Dept. Physics and NHMFL, Univ. Florida, L.-M. ZHENG, State Key Lab Coord. Chem., Nanjing Univ., China — The magnetic properties of three isostructural metal monophosphonates,  $M\{(2-C_5H_4NO)CH_2PO_3\}(H_2O)_2$  with  $M = Co$  (**1**),  $Ni$  (**2**),  $Mn$  (**3**), were investigated as potential antiferromagnetic spin ladders whose magnetic moment can be tuned by the metal ion. Along with a diamagnetic Cd analog, these compounds possess a double-chain crystal structure where the  $M_2(\mu-O)_2$  dimers are bridged by O-P-O chains. The low-field magnetic susceptibilities for compounds **1** and **2** indicate that the systems are non-interacting dimers. During isothermal magnetic field sweeps at temperatures down to 50 mK, a signature associated with the spin-flop transition is observed. On the other hand, compound **3** appears to have a dimer-like superexchange that is similar in strength to three dimensional magnetic interactions present in the material.

<sup>1</sup>Supported, in part, by NSF DMR-0701400 (MWM), DMR-0654118 (NHMFL), and the State of Florida.

Elisabeth S. Knowles  
Department of Physics, University of Florida

Date submitted: 06 Jan 2010

Electronic form version 1.4