

Abstract Submitted  
for the MAR11 Meeting of  
The American Physical Society

**Magnetoelectricity in BiFeO<sub>3</sub> films - first-principles-based computations and phenomenology**<sup>1</sup> SERGEY PROSANDEEV, University of Arkansas, IGOR KORNEV, Ecole Centrale Paris, LAURENT BELLAICHE, University of Arkansas, UNIVERSITY OF ARKANSAS TEAM, ECOLE CENTRALE PARIS TEAM — A first-principles-based effective Hamiltonian is used to compute linear and quadratic magnetoelectric (ME) coefficients in epitaxial (001) BiFeO<sub>3</sub> thin films. Its predictions are analyzed within a phenomenological model that provides analytical expressions of the ME coefficients in terms of polarization, as well as, dielectric and magnetic susceptibilities. Main discoveries are: (i) the quadratic ME coefficient is dramatically enhanced by increasing the magnitude of the compressive strain within the Cc phase, as similar to the previously reported enhancement of the linear ME coefficient in these films; (ii) the enhancements of the linear and quadratic ME coefficients have the same macroscopic origin, namely an increase in the dielectric permittivity; and (iii) the relative contribution of *two* different free-energy terms on the total linear ME coefficient is extracted from the simulations. The analytical expressions also help in understanding other ME effects.

<sup>1</sup>ONR N00014-08-1-0915 and N00014-07-1-0825, DOE DE-SC0002220, NSF DMR-0701558 and DMR-0080054. Thanks to MRI NSF 0722625 providing computer facilities.

Sergey Prosandeev  
Physics Department, University of Arkansas, Fayetteville, Arkansas 72701

Date submitted: 15 Nov 2010

Electronic form version 1.4