

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

On the Role of Spin-Orbit Coupling in the Spin Response of C₆₀-based Spintronics Devices¹ THO NGUYEN, FIJIAN WANG, Department of Physics & Astronomy, University of Utah, 115 South 1400 East, Salt Lake City, Utah 84112, USA, XIAO-GUANG LI, Hefei National Laboratory for Physical Sciences at Microscale, People's Republic of China, EITAN EHRENFREUND, Technion-Israel Institute of Technology, Israel, VALY VARDENY, Department of Physics & Astronomy, University of Utah, 115 South 1400 East, Salt Lake City, Utah 84112, USA — We report comprehensive studies of the spin response in C₆₀-based spintronics devices such as spin valves and diodes. The buckyball C₆₀ molecules are composed of ~99% ¹²C carbon atoms having spinless nuclei with zero hyperfine interaction. Therefore it was believed that the spin diffusion length in C₆₀-based spin-valves is large, and the magnetoresistance (MR) in C₆₀ diodes is negligible small. Surprisingly, we obtained a small spin diffusion length which we believe to be due to a relatively strong spin-orbit (SO) coupling in the material. We also found that the MR in C₆₀ diodes is relatively small, with characteristic magnetic field response dominated by the SO coupling with strength, $\xi \approx 1/2 \mu\text{eV}$, more than ten times larger than the HFI constant. This was verified by measuring the response of ¹³C-rich C₆₀ diodes.

¹This work was supported in part by the Department of Energy (Grant No. 04-ER461090).

Tho Nguyen
Department of Physics & Astronomy, University of Utah,
115 South 1400 East, Salt Lake City, Utah 84112, USA

Date submitted: 30 Nov 2010

Electronic form version 1.4