

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

Synthesis and Characterization of Multifunctional Epitaxial Metal-oxide Films¹ JIE XIONG, JUNYI ZHAI, GUIFU ZOU, Los Alamos National Laboratory, HAIYAN WANG, Texas A&M University, LI YAN, MUJIN ZHUO, YINGYING ZHANG, Los Alamos National Laboratory, BOWAN TAO, YANRONG LI, University of Electronic Science and Technology of China, J.L. MACMANUS-DRISCOLL, University of Cambridge, QUANXI JIA, Los Alamos National Laboratory — Transition metal-oxides have attracted great attention due to their versatile properties. Multilayers, and/or artificial superlattices, are especially interesting since these architectures usually exhibit unique physical properties in comparison with single phase thin films. Furthermore, the lattice strains and the coupling in the multilayered systems can strongly affect the films' growth and their physical properties. We have grown and characterized different multilayered metal-oxide thin films using laser molecular beam epitaxy (MBE). Specifically, we have prepared $[(\text{BiFeO}_3)_n/(\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3)_n]_m$ and $[(\text{BiFeO}_3)_n/(\text{BiMnO}_3)_n]_m$ superlattices and strained BiFeO_3 (BFO)_{0.5}: BiMnO_3 (BMO)_{0.5} films. We have systematically investigated the strain states on the magnetic properties of these multilayer films.

¹This work was supported by the U.S. Department of Energy and the Center for Integrated Nanotechnologies. J. X. acknowledges the support from National Science Foundation of China under Grant Nos. 50902017.

Jie Xiong
Los Alamos National Laboratory

Date submitted: 21 Nov 2010

Electronic form version 1.4