

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

Electrical Transport Properties of Boron-Based Nanostructures¹

JOEL D. CHUDOW, DANIEL F. SANTAVICCA, LUIGI FRUNZIO, DANIEL E. PROBER, Dept. of Applied Physics, Yale University, MICHAEL ROOKS, Yale Institute for Nanoscience and Quantum Engineering, Yale University, ESWARAMOORTHY IYYAMPERUMAL, GAYATRI KESKAR, FANG FANG, LISA PFEFFERLE, Dept. of Chemical Engineering, Yale University — Many metal boride materials exhibit interesting electrical properties. Bulk MgB_2 has a superconducting transition temperature of 39 K. Boron-based nanostructures are predicted to possess special properties superior to those of other one-dimensional nanomaterials. Recent progress in material fabrication has enabled the successful synthesis of boron-based nanomaterials [J. Phys. Chem. C 113, 17661 (2009)]. Magnetization measurements of magnesium-boride nanostructures show evidence of a diamagnetic transition at high temperature, about 80 K. We describe electrical transport measurements of individual single nanowires composed of these and related materials.

¹This work supported by AFOSR and NSF-DMR.

Joel Chudow
Yale University

Date submitted: 17 Nov 2010

Electronic form version 1.4