

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

Magnetic resonance at the Verwey transition in epitaxial Fe_3O_4 ¹

M. PECHAN, B. KASTER, J. DOU, Dept. of Physics, Miami University, Oxford, OH, P. JAYATHILAKA, C. BAUER, C. MILLER, Dept. of Physics, Center for Integrated Functional Materials, University of South Florida, Tampa, Florida — Fe_3O_4 is of interest due to its potential applications in the field of spintronics. Previous studies on magnetite films and Fe_3O_4 /Cr/NiFe spin valves indicate the presence of a uniaxial anisotropy when the magnetite is grown in a magnetic field. Two 170 nm thick films of Fe_3O_4 were reactively sputtered simultaneously onto (100) MgO substrates without and with an applied field (100 Oe). Epitaxy was confirmed by in-plane x-ray diffraction and optimal oxygen stoichiometry is confirmed by the 119 K Verwey transition temperature (T_V). Ferromagnetic resonance (FMR) measurements at 35 GHz in the plane of the film revealed four-fold anisotropy confirming high quality (100) epitaxy, with an additional uniaxial contribution present in the field-grown sample. Temperature dependent FMR on the sample grown without field clearly reflects T_V in the linewidth and in-plane and out-of-plane anisotropies. The in-plane uniaxial anisotropy for the sample grown with field exhibits an even stronger temperature response at T_V . Detailed discussions of thermal variations of magnetization, anisotropy and relaxation processes will be presented.

¹Supported by the US Dept. of Energy at MU, and NSF at USF.

Michael Pechan
Miami University

Date submitted: 09 Dec 2010

Electronic form version 1.4