

Abstract Submitted  
for the MAR11 Meeting of  
The American Physical Society

**Single crystal growth and superconducting properties of LiFeAs**

BUMSUNG LEE, SEUNGHYUN KHIM, JAE WOOK KIM, SNU, EUN SANG CHOI, NHMFL, JUNG SOO KIM, G. R. STEWART, UF, KEE HOON KIM, SNU — LiFeAs, a representative compound for ‘111’ system of Fe-based superconductors, has a tetragonal  $\text{Cu}_2\text{Sb}$ -type structure and possesses a single Fe-As tetrahedral layer sandwiched by the double Li layers. This structural characteristic provides a unique opportunity to realize homogeneous Li terminating surface upon cleaving, and this possibility makes LiFeAs attractive for investigating the intrinsic properties of Fe-based superconductors with various spectroscopic tools. In this sense, growing a large LiFeAs single crystal is a necessary step for studying intrinsic properties of the Fe-based superconductors. We report the successful growth of high quality LiFeAs single crystal by Sn-flux. Electrical resistivity studies reveal the superconducting onset temperature is 18.2 K with a transition width less than 1.1 K and RRR is about 24. Bulk superconductivity is supported by perfect shielding in the magnetic susceptibility and a clear jump in the specific heat. Upper critical field slopes of  $dH_{c2}^c/dT \approx -1.39$  and  $dH_{c2}^{ab}/dT \approx -2.99$  T/K near  $T_c$  predict  $H_{c2}^c(0) \approx 17.2$  and  $H_{c2}^{ab}(0) \approx 36.9$  T, and it points to a modest superconducting anisotropy about 2.3 near  $T_c$ . This observed modest anisotropy is a bit smaller than the band calculation results based on the GGA approximation but larger than the prediction considered effects of electron correlation through the dynamic mean field theory.

Bumsung Lee  
SNU

Date submitted: 19 Nov 2010

Electronic form version 1.4