

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

Densely grafted brushes of gradient copolymers: an effective Flory-Huggins parameter approach¹ SERGEY VENEV, IGOR POTEKIN, Department of Physics, Moscow State University, Moscow 119992, Russian Federation; Department of Polymer Science, University of Ulm, 89069 Ulm, Germany — Manufacturing of gradient copolymers becomes cheaper and easier nowadays. There is a wide spectrum of experimental applications for such polymers. In this work, densely grafted gradient copolymer (monomers distribution function $g(n)$ along the chain is assumed to be a power law) brushes in a selective solvent are considered. Equilibrium thermodynamic properties of the system are investigated within the frames of a simple mean-field approach and an effective Flory-Huggins parameter $\chi_{eff}(n)$ approximation. Constructed profiles for polymer concentration demonstrate non-linear behavior, however the brush thickness varies in direct proportion to the molecular weight of copolymer. Coil-Globule transition properties in such a system are investigated as well.

¹The financial support of the Ministry of Education and Science (Russian Federation), the Deutsche Forschungsgemeinschaft within SFB 569 is gratefully acknowledged

Sergey Venev
Dept of Physics, Moscow State University,
Moscow 119992, Russian Federation; Dept of Polymer Science,
University of Ulm, 89069 Ulm, Germany

Date submitted: 24 Nov 2010

Electronic form version 1.4