

Abstract Submitted
for the MAR11 Meeting of
The American Physical Society

Shear-jammed states in granular materials¹ DAPENG BI, Brandeis University, JIE ZHANG, Indiana University - Purdue University Fort Wayne, R.P. BEHRINGER, Duke University, BULBUL CHAKRABORTY, Brandeis University — For frictionless particles with purely repulsive interactions, there is a critical packing fraction ϕ_J below which no jammed states exist. Experiments by Zhang & Behringer on physical granular systems show jammed states in the regime of $\phi < \phi_J$ can be created by the application of shear stress. Compared to the states above ϕ_J , the shear-jammed states are mechanically more fragile, but they resist shear. These shear-jammed states cannot exist under isotropic stress. Rather, their formation require the anisotropic contact network as a backbone which is created by an applied shear stress. The anisotropic components of the stress tensor and contact network fabric tensor form a classic hysteresis loop suggesting an analogy to ferromagnetic behavior and critical phenomena. These new states must be incorporated into a more general jamming picture. We also carry out extensive analysis on shear-jammed states and find local stress fluctuations are controlled by their respective global pressures. To explain the scaling of local stress fluctuations, we construct a mean-field model based on the entropy of stress configurations.

¹Supported by NSF-DMR0905880 and NSF-DMR0906908.

Dapeng Bi
Brandeis University

Date submitted: 07 Dec 2010

Electronic form version 1.4