

Abstract Submitted
for the MAR13 Meeting of
The American Physical Society

Polarization in epitaxial LaFeO₃/SrFeO₃ superlattice thin films¹

ROHAN MISHRA, SOKRATES PANTELIDES, Vanderbilt Univ. Oak Ridge National Lab., YOUNG-MIN KIM, Oak Ridge National Lab. Korea Basic Science Institute, ALBINA BORISEVICH, STEPHEN PENNYCOOK, Oak Ridge National Lab., SEONGKEUN KIM, SEOHYOUNG CHANG, ANAND BHATTACHARYA, JEFFREY EASTMAN, DILLON FONG, Argonne National Lab. — Controlling ferroelectricity in perovskite thin-films requires an understanding of the many factors that are known to affect their polar behavior, such as octahedral rotations, cation ordering, oxygen vacancies, and the surface and interface terminations. Here, we report a study using a combination of aberration-corrected scanning transmission electron microscopy, electron-energy loss spectroscopy (EELS), and density functional calculations (DFT) to demonstrate how these factors work in concert to give rise to polarization in LaFeO₃/SrFeO₃ superlattices grown on SrTiO₃ substrates. Although both LaFeO₃ and SrFeO₃ are non-polar in the bulk, microscopy results show Fe-displacements in the superlattices indicating a dipole-like electric field. The magnitude of the observed displacements peaks in the interior of the films and goes to zero towards the substrate and the surface. O K EELS results show variation in intensities within the films, suggesting that oxygen vacancies may play a role. DFT results explaining the origin of the observed polar displacements within the superlattices and the effect of the abovementioned factors will be presented.

¹Research sponsored by the U.S. DOE, Office of BES, MSE Division and ORNL's ShaRE.

Rohan Mishra
Vanderbilt Univ. Oak Ridge National Lab.

Date submitted: 20 Nov 2012

Electronic form version 1.4