

Abstract Submitted  
for the MAR15 Meeting of  
The American Physical Society

**Single crystal growth and properties of two layered oxytellurides<sup>1</sup>**

TIGLET BESARA, DANIEL RAMIREZ, THEO SIEGRIST, National High Magnetic Field Laboratory/Florida State University, JIFENG SUN, JEFFREY WHALEN, TAKAHISA TOKUMOTO, STEPHEN MCGILL, RYAN STILLWELL, STANLEY TOZER, National High Magnetic Field Laboratory, DAVID SINGH, Oak Ridge National Laboratory — We report on the synthesis, structure, and physical properties of two layered oxytellurides:  $\text{Ba}_3\text{Yb}_2\text{O}_5\text{Te}$  and  $\text{Ba}_2\text{TeO}$ . Both compounds were grown in single crystalline form using a molten metal flux, and crystallize in a tetragonal space group:  $P4/mmm$  for  $\text{Ba}_3\text{Yb}_2\text{O}_5\text{Te}$  and  $P4/nmm$  for  $\text{Ba}_2\text{TeO}$ .  $\text{Ba}_3\text{Yb}_2\text{O}_5\text{Te}$  consists of  $\text{Ba}_2\text{Yb}_2\text{O}_5$  perovskite double layers separated by a CsCl-type BaTe slab, while  $\text{Ba}_2\text{TeO}$  consists of an inverse PbO-type BaO layer separated by an NaCl-type BaTe slab.  $\text{Ba}_3\text{Yb}_2\text{O}_5\text{Te}$  displays short range 2D magnetic ordering below 4 K, and a sharp optical absorption feature at 1.27 eV consistent with a  $^2F_{7/2} \rightarrow ^2F_{5/2}$  transition of  $\text{Yb}^{3+}$ . For  $\text{Ba}_2\text{TeO}$ , optical measurements display a sharp increase in absorbance, a manifest of a band edge. DOS corroborates the band gap, at 2.93 eV, indicating semiconducting behavior.

<sup>1</sup>DOE DE-SC0008832 (TB, DR, JS, TS), NSF DMR-1157490 (NHMFL)

Tiglet Besara  
National High Magnetic Field Laboratory/Florida State University

Date submitted: 13 Nov 2014

Electronic form version 1.4