

Abstract Submitted
for the MAR16 Meeting of
The American Physical Society

Mechanophore activation in a crosslinked polymer matrix via instrumented indentation CHELSEA DAVIS, AARON FORSTER, JEREMIAH WOODCOCK, MUZHOU WANG, JEFFREY GILMAN, NIST - Natl Inst of Stds Tech, MATERIAL MEASUREMENT LABORATORY TEAM — Recent advances in mechanically-activated fluorophores will enable a host of unique scientific challenges and opportunities to be addressed. Several mechanophores (MPs) in polymers have been reported, yet the specific deformation required to activate these molecules in a bulk polymer network has not been sufficiently specified. In an effort to develop the mechano-activation/deformation relationship of a spirolactam-based MP, scratches were applied to a MP-functionalized glassy crosslinked material at varying normal loads and lateral displacement rates. This experimental design allowed strain and strain rate effects to be decoupled. The fluorescence activation was then observed with a laser scanning confocal microscope. Areas of elastic and plastic deformation as well as brittle fracture were observed within each scratch as the normal loading of the indenter increased. The fluorescence intensity increased with increasing strain. Contact mechanics models are employed to demonstrate that relatively high degrees of strain are required to initiate the ring-opening activation transition within the spirolactam-based MP. These self-reporting damage sensors can be incorporated within polymeric coatings to allow real time structural health monitoring for a myriad of applications.

Chelsea Davis
NIST - Natl Inst of Stds
Tech

Date submitted: 06 Nov 2015

Electronic form version 1.4