

Abstract Submitted
for the MAR17 Meeting of
The American Physical Society

Nanoscopy of Black Phosphorus Degradation¹ SAMPATH GAM-AGE, Georgia State University, ZHEN LI, HAN WANG, University of Southern California, VLAD YAKOVLEV, Georgia State University, STEPHEN CRONIN, University of Southern California, YOHANNES ABATE, Georgia State University — We report on the experimental quantification of geometric properties and theoretical modeling of the chemical degradation process of black phosphorus (BP) and investigate the effectiveness of passivation coatings using infrared near-field nanoscopy. We chemically identify oxidized phosphorus species locally at the onset of degradation by nanoscale spectroscopic imaging at mid-infrared frequencies. We found that these species can form underneath 5 nm thick Al₂O₃ coating deposited by atomic layer deposition (ALD) indicating that thin coating is insufficient to protect BP against degradation caused by ambient medium. By performing simultaneous topographic and optical time series imaging over several months, we show that a nanolayer BP exposed to ambient environment degrades at a steadily increasing rate until saturation begins, so that the degraded area and volume of degraded regions as functions of time follow the well-known S-shaped growth curve (sigmoid growth curve). Phenomenological modeling of experimental results suggests a strong influence of degraded areas on adjacent BP. Our model is advantageous since it is based on elementary probabilities that can be related to the O₂ and H₂O content in the ambient medium, as well as to the chemical reaction processes that result in oxidized phosphorus species.

¹Air Force Office of Scientific Research (AFOSR) grant number FA9559-16-1-0172 and National Science Foundation grant no. 1553251

Yohannes Abate
Georgia State University

Date submitted: 02 Feb 2017

Electronic form version 1.4