

Abstract Submitted  
for the NWS06 Meeting of  
The American Physical Society

**The Heat Pulse Propagations in Multiwall Carbon Nanotubes**

TAEJIN KIM, Material Science Program, Washington State University; Pullman WA 99164-2752, MOHAMED OSMAN, School of Electrical Engineering and Computer Science, Washington State University; Pullman WA 99164-2752, CECILIA RICHARDS, ROBERT RICHARDS, DAVID BAHR, School of Mechanical and Materials Engineering, Pullman, Washington 99164-2920 — The microscopic mechanism of heat transport in armchair and zigzag double wall carbon nanotube (DWCNT) was studied by using Molecular Dynamics (MD) simulations. In order to generate heat waves in different phonon modes, strong heat pulse was applied to DWCNT. It was observed that leading heat wave packets in both DWCNTs and those in corresponding single wall carbon nanotubes (SWCNTs) move at the speed of longitudinal acoustic (LA) phonon modes. The kinetic temperatures of leading heat wave packets in inner and outer shell of DWCNT were greater than those of corresponding SWCNT. Within the leading heat wave packets, inner shell was longitudinally compressed while outer shell was expanded. However, it was observed the smaller longitudinal compression or expansion in SWCNT. The compression and expansion mechanism in both DWCNTs was found to depend on chirality. The local deformation of atomic structure in DWCNT is believed to increase the potential energy at corresponding regions and it is responsible for strong leading heat wave packets in each shell.

Taejin Kim  
Material Science Program, Washington State University  
Pullman WA 99164-2752

Date submitted: 21 Apr 2006

Electronic form version 1.4